



Dept. of Labor & Industries
Elevator Section
PO Box 44480
Olympia, WA 98504-4480

TEST LOG FOR PERIODIC INSPECTIONS & TESTS FOR HYDRAULIC ELEVATORS

ASME A17.1 requires periodic tests on various types of elevator equipment. Owner is responsible for all required tests. Some tests may not be applicable; mark them in the appropriate column with "N/A".
Safety test tags are still to be affixed to the appropriate equipment as required by code. A test log is required for each elevator.
Enter test dates (mm/dd) and name of company performing test in the appropriate test column in the year tested.
Include pressure relief setting with date in appropriate column.

State ID #

*Equipment test tags required to be on equipment

Operating Permit Date

Firefighter's Operation

Type of Test	1 *Car & Counter-Weight Safeties (When Provided)		2 *Car & Counter-Weight Governors (When Provided)		3 Cylinder Leak Test	4 Terminal Speed Limiting Device	5 Standby Power Operation	6 Flexible Hose Fittings	7 Phase 1 & 2	8 Smoke Detectors	9 Power Door Operation	10 Unexposed Portions of Pistons	11 Pressur e Vessels	12 *Oil Buffers (When Provided)		13 Final & Normal Limits	14 Door Closing Force	15 *Relief Valve Setting	16 Door monitoring System
	Annual	5 Year	Annual	5 Year	Annual	Annual	Annual	Annual	Quarterly	Annual	5 Year	3 Year	3 Year	Annual	5 Year	Annual	Annual	Annual	Annual
A17.1 Rule	8.11.2.2.2	8.11.2.3.1	8.11.2.2.3	8.11.2.3.2	8.11.3.2.2	8.11.3.2.3h	8.11.3.2.3f	8.11.3.2.4	8.6.10.1	8.11.2.2.6	8.11.2.3.7	8.11.3.3.1	8.11.3.3.2	8.11.2.2.1	8.11.2.3.3	8.11.2.2.5	8.11.2.2.8	8.11.3.2.1	2.26.1.5
2005																			
2006																			
2007																			
2008																			
2009																			

Do Not Remove Test Log From Machine Room.
Service Maintenance logs must not be used in lieu of this form.